Express Mail No.: EV452775665US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of: D'Amato

Confirmation No.: 6861

Application No.: 10/732,867

Group Art Unit: 1626

Filed: December 9, 2003

Examiner: Saeed, Kamal A.

For:

ANALOGS OF 2-

Attorney Docket No.: 9516-181-999

PHTHALIMIDINOGLUTARIC ACID

INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. §1.56 AND §1.97

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In accordance with the duty of disclosure imposed by 37 C.F.R. § 1.56 and § 1.97 to inform the Patent Office of all references coming to the attention of each individual associated with the filing or prosecution of the subject application, which are or may be material to the patentability of any claim of the application, Attorneys for Applicants hereby invite the Examiner's attention to the references A01 to A26, B01 to B12, and C01 to C337 listed on the attached revised form PTO 1449 entitled "List of References Cited by Applicant."

The above-identified application is a divisional application of Application No. 09/309,464, filed May 11, 1999, issued as U.S. Patent No. 6,673,828 on January 6, 2004. References are not provided as they are available in the file history of the parent application. However, if the examiner would prefer, copies of any of the references cited herein will be provided upon request.

Identification of the listed references is not meant to be construed as an admission of Applicants or Attorneys for Applicants that such references are available as "prior art" against the subject application.

Applicants respectfully request that the Examiner review the foregoing references and that the references be made of record in the file history of the application.

Pursuant to 37 C.F.R. § 1.97(b), Applicants estimate that a fee of \$180.00 is due in connection with the filing of this Information Disclosure Statement. However, should

07/15/2005 SSITHIB1 00000200 503013 10732867

01 FC:1806

180.00 DA

the Patent Office determine otherwise, please charge the necessary fee to Jones Day Deposit Account No. 50-3013. A duplicate of this sheet is enclosed for accounting purposes.

Respectfully submitted,

Date July 12, 2005

Anthony M. Insogna (Reg. No.)

Anthony M. Insogna

JONES DAY 222 East 41st Street

New York, New York 10017-6702

(212) 326-3939

Enclosures

O P EST OF REFERENCES CITED BY APPLICANT (Use several sheets if necessary)

ATTY. DOCKET NO. APPLICATION NO. 9516-181-999 10/732,867

APPLICANT
D'Amato

FILING DATE GROUP
December 9, 2003 1626

U.S. PATENT DOCUMENTS

*EXAMINER							FILING DATE IF
INITIAL	101	DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	APPROPRIATE
	A01	2002/0061923	5/23/02	D'Amato			
	A02	6,020,358	2/1/00	Mullet et al.			
	A03	5,919,790	7/6/99	Allen et al.			
÷	A04	5,731,325	3/24/98	Andrulis, Jr. et al.			
	A05	5,679,696	10/21/97	Fenton et al.			
•	A06	5,654,312	8/5/97	Andrulis, Jr. et al.			
	A07	5,643,915	7/1/97	Andrulis, Jr. et al.			
	A08	5,629,327	5/13/97	D'Amato			
	A09	5,605,914	2/25/97	Muller			
•	A10	5,605,684	2/25/97	Piacquadio			
	A11	5,502,066	3/26/96	Heinemann			
	A12	5,443,824	8/22/95	Piacquadio			
	A13	5,434,170	7/18/95	Andrulis, Jr.	<u> </u>		
	A14	5,405,855	4/11/95	Andrulis, Jr.			
	A15	5,399,363	3/21/95	Liversidge et al.			
	A16	5,385,901	1/31/95	Kaplan, et al.			
	A17	5,134,127	7/28/92	Stella et al.	-		
	A18	5,021,404	6/4/91	Folkman, et al.			
	A19	5,001,116	3/19/91	Folkman, et al.			
	A20	4,994,443	2/19/91	Folkman, et al.			
	A21	4,552,888	11/12/85	Koppel, et al.			
	A22	3,705,162	12/5/72	Graudums, et al.		1	
<u> </u>	A23	3,625,946	12/7/71	Heinrich, et al.			
	A24	3,563,986	2/16/71	Frankus, E.			
	A25	3,560,495	2/2/71	Frankus, E.			
	A26	2,830,991	4/15/58	Keller, et al.			

		FOREIG	N PATENT DOCUMENTS				
	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSL	ATION
						YES	NO
B01	1,182,709	3/4/70	Austria				
B02	1 182 709	3/4/70	EP				
B03	0 325 199	7/26/89	EP				
 B04	0 357 061	3/7/90	EP				
 B05	0 688 771	6/14/95	EP				

B06	58-131978	8/6/83	Japan		
B07	63-119500	5/24/88	Japan		
B08	WO 91/10424	7/25/91	PCT		
 B09	WO 92/14455	9/3/92	PCT		
B10	WO 92/18496	10/29/92	PCT		 -
Bii	WO 94/20085	9/15/94	PCT		 ļ
B12	WO 95/04533	2/16/95	PCT		

		OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)
	C01	Algire, 1945, "Vascular reactions of normal and malignant tissues in vivo. I. Vascular reactions of mice to wounds and to normal and neoplastic transplants," J. Natl. Cancer Inst. pp. 73-85
	C02	Allegri, 1964, "Confermata l'inefficacia della talidomides nella terapia dei tumori," Gazzetta Medica Italiana pp. 124- 127
τ	C03	Ambs et al., 1997, "Interactive effects of nitric oxide and the p53 tumor suppressor gene in carcinogenesis and tumor progression," FASEB J. 11:443-448
	C04	Apt, 1965, "Effect of thalidmoide on the course of experimental Chagas' Disease," BOI. Chil. Parasitol. 20(3):84-86
•	C05	Aronson et al., 1984, "Thalidomide-induced peripheral neuropathy. Effect of serum factor on nerve cultures," Arch. Dermatol. 120(11):1466-1470
	C06	Bach et al., 1963, "Studies on the possible anti-neoplastic effect of thalidomide," ACTA PathologicaET Microbiologica Scandinavica 59:491-499
•	C07	Bach et al., 1963, "Thalidomide in cancer chemotherapy," Lancet 1:1271
_	C08	Bahmer, 1992, "Therapie bel lymphozytischer infiltration," Der Hautarzt 43:663
•	C09	Balabanova et al., 1992, "Lupus erythermatosus hypertrophicus et profundus," Z. Hautkr 67(9):812-815
	C10	Barnes. et al., "Tumor Necrosis Factor Production in Patients with Leprosy", <i>Infection and Immunity</i> , Vol. 60 No. 4, pp. 1441-1446 (1992)
	CH	Barnhill, et al., "Thalidomide: Use and Possible Mode of Action in Reactional Lepromatous Leprosy and in Various other Conditions", J. Am. Acad. Dermatol., Vol. 7, No. 3, pp. 317-323-(1982)
	C12	Barnhill, R. et al., 1984, "Studies on the Anti-inflammatory Properties of Thalidomide: Effects on Polymorphonuclear Leukocytres and Monocytes", J. A& Acad. Derm., Vol. 11, No. 5, Part 1, pp. 814-819
	C13	Barriere, H., "Traitement par la thalidomide", La Presse Mkdicale, Vol. 12, No. 15, pp. 963 (1983)
	C14	Bazzoli, et al., "The Effects of Thalidomide and Two Analogues on the Regenerating Forelimb of the Newt", <i>J. Embryol. Exp. Morph.</i> , Vol. 41, pp. 125-135 (1977)
	C15	Beck, Jr. et al. "Vascular Development: Cellular and Molecular Regulation", <i>The FASEB Journal</i> , Vol. 11, pp. 365-374 (1997)
	C16	Beccerica, E., "L'approccio terapeutico al paziente anziano con artrite reumatoide", <i>Clin. Ter.</i> , Vol. 122, pp. 289-298 (1987)
	C17	Belaube, P. et al., 1983, "Should Thalidomide be Rehabilitated?", Sem. Hop. Paris, Vol. 59, No. 45, pp. 3101-3104
	C18	Bensinger, W.I., "Supportive Care in Marrow Transplantation", <i>Curr. Opin. Oncol.</i> , Vol. 4, No. 4, pp. 614- 623 (1992)
•	C19	Bernal, et al., "Cellular Immune Effects of Thalidomide in Actinic Prurigo", <i>Int'l. J, of Dermat.</i> , Vol. 31, No. 8, pp. 599-600 (1992)
-	C20	Blair, R. et al., "Human Mast Cells Stimulate Vascular Tube Formation", <i>Journal of Clinical Investigation</i> , Vol. 99, NO. 11, pp. 2691-2700 (1997)
	C21	Blaschke, V. et al., "Chromatographische Racernattrennung von Thalidomid und teratogene Wirkung der Enantiomere, Arzneimittel Forsch./Dru,q Res., Vol. 29, No. 11, pp. 1640-1642 (1979)
	C22	Bonifacino, J. et al., "A Peptide Sequence Confers Retention and Rapid Degradation in the Endoplasmic Reticulum", Science, Vol. 2, pp. 79-80 (1990)
	C23	Bonnetblanc, et al., "Thalidomide and Recurrent Aphthous Stomatitis: a Follow-up Study", Dermatology, Vol. 193, No. 4, pp. 321-323 (1996)
	C24	Boodman, S.G., "Questions About a Popular Prenatal Test", The Washington Post (1992)
	C25	Bowers, et al., "Effect of Thalidomide on Orogenital Ulceration", Br. Med. Journ., Vol. 287,
L	<u> </u>	

r		of Application No. 10/732,867
		No. 6395, pp.799-800 (1983)
	C26	Braun et al., 1981, "Thalidomide metabolite inhibits tumor cell attachment to concanavalin a coated surfaces," Biochem. Biophys. Res. Comm. 98(4):1029-1034
	C27	Brem et al., 1991, "Interstitial chemotherapy with drug polymer implants for the treatment of recurrent gliomas," J. Neurosurg. 74:441-446
	C28	Bressler et al., 1992, "Clinicopathologic Correlation of occult choroidal neovascularization in age-related macular degeneration," Arch. Opthamol. 110:827
	C29	Brodthagen, 1985, "Significant response of oral aphthosis to thalidomide treatment," J. Am. Acad. Dermaol. 13(3):509
	C30	Brovarone et al., 1991, "Occhio e gravidanza," Minerva Ginecol 43:141-167
	C31	Browne et al., 1991, "Expression of recombinant human plasminogen and aglycoplasminogen in HeLa cells," Fibrinolysis 5:257-260
	C32	Bubl et al., 1993, "Dysphagia in dermatologic disease," Dysphagia 8(2):85-90
	C33	Buckley et al., 1990, "Pyoderma gangrenosum with severe pharyngeal ulceration," J. Royal Soc. Med. 83:590-591
	C34	Buelens, 1967, "Treatment of a greade II astrocytoma with thalidomide (Phthalylglutamic acid imide) [Behandlung eines astrocytoms II. Grades mit thaliodmid (N-Phthalyglutaminsaureimid)], Arzneim-Forsch., 17(5):646-648
	C35	Bullock, 1986, "The clinical significance of erythema nodosum," Hosp. Pract. 21(3):102E-2H, 102K-2L, 102Q-2R pas
•	C36	Burger et al., 1992, "Epidermolysis bullosa acquisita a rare late complication of allogeneic bone marrow transplantation?" Bone Marrow Transplantation 9(2):139-141
	C37	Burrows, 1993, "Thalidomide Modifies disease," Brit. Med. J. 307(6909):939-940
•	C38	Buckley et al., 1990, "Pyoderma gangrenosum with severe pharyngeal ulceration," J. Royal Soc. Med. 83:590-591
	C39	Calnan et al., 1977, "Actinic prurigo (Hutchinson's Summer Prurugo)," Clin. Exp. Dermatol. 2(4):365-372
•	C40	Cant, J.S., "Minor Ocular Abnormalities Associated With Thalidomide", <i>The Lancet</i> , p. 1134 (1966)
•	C41	Carmichael, et al., "Thalidomide: A Restricted Role", <i>Lancet</i> , Vol. 339, No. 8805, p. 1362 (1992)
	C42	Cashin, C.H. et al., "Angiogenesis and Chronic Inflammation", Agents and Actions, Vol. 34, NO. 314, pp. 332-338 (1991)
	C43	Casini, G. et al., "Preparazione Di Uno Degli Antipodi Ottici Della 2-Ftalimmidoglutarimmide", <i>Il Pharmaco</i> , Ed. Sc., Vol XIX, F&C. 6, pp. 563-565 (1964)
	C44	Chapon, et al., "Neuropathies Caused by Thalidomide", Rev. Neurol., Vol. 141, No. 11, pp. 719-728 (1985)
	C45	Chaudhrv. A. et al "Effects of Prednisolone and Thalidornide on Induced Submandibular Gland tumors in Hampsters", Canc. Res., Vol. 26, No. 9, Part 1, pp. 1884-1886 (1966)
	C46	Chen. T. et al., "Plasma Pharmacokinetics and Urinary Excretion of Thalidomide after Oral Dosing in Healthy Male Volunteers," <i>The Am. Society for Pharma. andkxPeri. Therapeutics</i> , Vol. 17, No. 4, pp. 402-405 (1988)
	C47	Chosidow. 0, et al "Sclerodermatous Chronic Graft-Versus-Host Disease: Analysis of Sevencases", J. Am. Acad. Dermatol., Vol. 26, No. 1, pp. 49-55 (1992)
	C48	Claydon, et al., "Gastrointestinal Emergencies in HIV Infection", <i>Balliere's Clin Gastroennterol.</i> , Vol. 5, No. 4, pp. 887-911 (1991)
	C49	Clemmensen et al., 1984, "Thalidomide neurotoxicity," Arch. Dermatol. 120(3):338-341
	C50	Colville-Nash et al., 1992, "Angiogenesis and rheumatoid arthritis: Pathogenic and therapeutic implications," Ann. Rheum. Dis. 51:919-625
	C51	Congy, et al., "Plasma Zinc Levels in Elderly Patients Hospitalized in Long Stay Units. Correlations with Other Nutritional Markers, Immunological Tests and Survival", Sem. Hop. Paris, Vol. 59, No. 45, pp. 3105-3108 (1983)
	C52	Costa, et al., "Aseptic Adenitis in a Patient with Pyoderma Gangrenosum", Ann. Dennatol., Vol. 121, No. 8, pp. 550-552 (1994) (Abstract Only)
	C53	Crain, E. et al., "The Effect of Thalidomide on Experimental Autoimmune Myasthenia Gravis", J. of Autoimmunity, Vol. 2, pp. 197-202 (1989)
	C54	Crawford, C.L., "Letter: Thalidomide in Erythema Nodosum Leprosum", <i>Lancet</i> , Vol. 2, No. 839, pp. 1201-1202 (1973)
	C55	Crawford, C.L., "Treatment of Erythema Nodosum Leprosum with Thalidomide," <i>Lancet</i> , Vol. 2, No. 828, pp. 567-568 (1973)
	C56	Crawford, C.L., "Use of Thalidomide in Leprosy [letter; comment]", BMJ, Vol. 302, No. 6729, pp. 1603-1604 (1991)
	C57	Crum et al., 1985, "A new class of steroids inhibits angiogenesis in the presence of heparin or a heparin

		of Application No. 10/732,867
		fragment," Science 230:1375-1378
	C58	Current Bibliographics in Medicine, "Thalidomide: Potential Benefits and Risks", National Inst. Health, National Library of Medicine pp. 1-72 (Jan. 1963-July 1997)
	C59	Dark, et al., "Combretastin A-4, an Agent that Displays Potent and Selective Toxicity Toward Tumor Vasculature", Cancer Research, Vol. 37, pp. 1829-1834 (1997)
-	C60	David-Bajar, K.M., "Subacute Cutaneous Lupus Erythematosus", J. <i>Invest. Dermatol.</i> Vol. 100, No. 1, pp. 2s-8s (1993)
	C61	D'Amato, R. J. et al., "Thalidomide is an Inhibitor of Angiogenesis", <i>Proc. Natl. Acad. Sci.</i> , Vol. 91, pp. 4082-4085 (1994)
	C62	D'Amato, et al., "Angiogenesis Inhibition in Age-Related Macular Degeneration", <i>Opthalmology</i> , Vol. 102, No.9,pp.1261-1262(1995)
	C63	D'Amato. et al., "Microsco~ic Analysis of Retinal-Vessels Utilizing: Fluorescein-Labeled High-Molecular-Weight Dextrans," Invest. Opthamol. & Visual Science 33(4):1082 (1992)
	C64	De et al., 1975, "Possible antoneoplastic agents I," J. Pharma. Sci. 64(2):262-266
	C65	DeCock, 1979, "Treatment of Ulcerative Colitis," Brit. Med. J. 1:1356
	C66	DeKlerk et al., 1969, "New methods of treatment for renal allotransplants using the baboon as a primate experimental model," J. Urol. 102(5):532-540
•	C67	Dhodapkar et al., "A phase II pilot study of anti-angiogenesis therapy using thalidomide in patients with multiple myeloma," UARK 98-003, pp. 1-15
	C68	Dicken, C. H., "Malignant pyoderma", J. of the Am. Acad. of Dermatol., Vol. 13, No. 6, pp. 1021-1025 (1985)
	C69	DiPaolo, et al., "Thalidomide: Effects on Ehrlich Ascites Tumor Cells in vitro", <i>Science</i> , Vol. 144, pp. 1583 (1964)
•	C70	DiPaolo, 1963, "Effect of thalidomide on a variety of transplantable tumors," Cancer Chemo. Reports, 29:99-102
	C71	DiPaolo, 1963, "In vitro test systems for cancer chemotherapy. II. Correlation of in vitroinhibition of dehydrogenase and growth with in vivo inhibition of Ehrlich ascites tumor," P.S.E.B.M. 114:384-387
	C72	DiPaolo et al., 1966, "Teratogenesis-oncogenesis: A study of possible relationships," Arch. Pathol. 81:3-23
	C73	Dorveaux et al., 1984, "Le traitement actuell du lupus erythemateux chronique," Le Concours Med. 106(31):2957-2961
	C74	Doutre et al., 1987, "Pyoderma gangrenosum and hemopathies. A propos of 2 cases," Nouv. Rev. Fr. Hematol. 29(4):251-254
	C75	Dunn, et a]., "Bone Marrow Transplantation and Cataract Development", Arch. Ophthalmol. Vol. 11 1, No. 10, pp. 1367-1373 (1993)
	C76	(Editorial) "Thalidomide in Dermatology and Leprosy", Lancet, Vol. 2, No. 8446, pp. 80-81 (1985)
	C77	(Editorial) "Thalidomide Tested for Treatment of AIDS", U.S. Pharm., Vol. 18, No. 8, p. 14 (1993)
	C78	Eger, K. et al., 1990, "Synthesis, Central Nervous System Activity and Teratogenicity of a Homothalidomide," Arzheim. Forsch/Drug Res. 40(II)(10):1073-1075
	C79	Ehrlich, 1989, "Behcet's Disease: Current Concepts," Comprehensive Therapy 15(1):27-30
	C80	Elia et al., 1992, "Giant esophageal ulcer treated with steroids in AIDS patient(2)," J. Acquired Immune Defic. Syndr. 5(8):848-849
	C81	Eisenbud, L. et al., "Recurrent Aphthous Stomatitis of the Behcet's Type: Successful Treatment with FA Thalidomide", Oral Surgery, oral Medicine, Oral Pathology, Vol. 64; NO. 3, pp. 289-292 (1987)
	C82	Eraveily, J. et al., "Thalidornide in Weber-Christian Disease", The Lancet, Vol. 1, No. 8005, p. 251 (1977)
	C83	Eriksson, et al., "Drug Exposure and Flow Cytometry Anaylses in a Thalidomide Treatment Schedule that Prolongs Rat Cardiac Graft Survival", <i>Transplant Proc.</i> , Vol. 24, No. 6, pp. 2560-2561 (1992)
•	C84	Eriksson, S. O. et al., "Synthesis and Alkaline Hydrolysis of Some N-substituted Phthalimides", Acta Pharm. Suecica 10:63-84 (1973)
-	C85	Fabro, S. et al., "The Metabolism of Thalidomide: Some Biological Effects of Thalidomide and its Metabolites", Brit. J. Pharmacol., Vol. 25, pp. 352-362 (1965)
	C86	Fabro, S. et al., "Teratogenic Activity of Thalidomide and Related Compounds", <i>Life Sci.</i> , Vol. 3, pp. 987-992 (1964)
	C87	Fabro, S. M.D., "Biochemical Basis of Thalidomide Teratogenicity", <i>The Biochemical Basis of Chemical Teratogenesis</i> , Chapter 5, pp. 159-178 (1981)
	C88	Fajardo, et al., "Dual Role of Tumor Necrosis Factor-a in Angiogenesis", Am. J. Pathol., Vol. 140, No. 3, pp. 539-544 (1992)
	C89	Faure, et al., "PMN Leukocytes Chemotaxis: Inhibition by Thalidomide", <i>Pathol. Biol. (Paris)</i> , Vol. 29, No. 10, pp. 601-604 (1981)
	C90	Faure, et al., "Inhibition of PMN Leukocytes Chemotaxis by Thalidomide", Arch. Dermatol. Res., Vol. 269,

		of Application No. 10/732,867
· -		No. 3, pp. 275-280 (1980)
	C91	Fazal, N. et al., "Effect of Blocking TNF-a on Intracellular BCG (Bacillus Calmette Guerin) Growth in Human
		Monocyte-Derived ~acrophages", FEMS Microbiology Immunology, Vol. 105, pp. 337-346 (1992)
	C92	Fickentscher, K. et al., "Stereochemical Properties and Teratogenic Activity of Some Tetrahydrophthalimides"
		Mol. Pharmacol., Vol. 13, pp. 133-141 (1977)
	C93	Field, E. O. et al., "Effect of Thalidomide on Splenornegaly (GVH Reaction) in the Chick Embryo. Treatment of
		Donor Cells Only", <i>Nature</i> , Vol. 211, No. 5055, pp13b9-1310 (1966)
	C94	Flohe, L. et al., "Studies on the Hypothetical Relationship of Thalidomide-induced Embryopathy and Collagen
		Biosynthesis", Arzneimitte/Forschung (Germany west), Vol. 31, No. 2, pp. 315-320 (1981)
	C95	Folkman et al., 1992, "Angiogenesis," J. Biol. Chem. 267(16):10931-10934
	C96	Folkman et al., 1983, "Angiogenesis inhibition and tumor regression caused by heparin or a heparin fragment in the presence of cortisone," Science 221:719-725
	C97	Folkman, J. et al., "Induction of Angiogenesis During the Transition from Hyperplasia to Neoplasia", <i>Nature</i> Vol. 339, pp. 58-61 (1989)
	C98	Folkman, J. et al., "Tumor Behavior in Isolated Perfused Organs: In Vitro Growth and Metastases of Biopsy
	C96	material in Rabbit Thyroid and Canine Intestinal Segment", Anals of Surgery, pp. 491-502 (1966)
	C99	Folkman, J., "Tumor Angiogenesis: Therapeutic Implications", The New England J. of Med., Vol. 285, No. 21,
	(2)	pp. 1182-1186, (1971)
-	C100	Folkman, J., "Angiogenesis and Its Inhibitors", Important Advances in Oncology, J.B. Lippincott H. Company,
	0.00	pp. 42-62 (1985)
•	C101	Folkman, J., "Angiogenesis in Cancer, Vascular, Rheumatoid and Other Disease", <i>Nature Medicine</i> , Vol. 1, No. 1 pp. 27-30 (1995)
	C102	Folkman, J., "What is the Evidence that Tumors are Angiogenesis Dependent?', J. Naat' Cancer Inst., Vol. 82
	0102	No. 1 (1990)
_	C103	Francois, J., "Embryological Pigment Epithelial Dystrophies", Opthalmologica, Vol. 172, pp. 417-433 (1976)
•	C104	Fuller, et al., "Thalidomide, Peripheral Neuropathy and AIDS", <i>Int. J. STD AIDS</i> , Vol. 2, No. 5, pp. 369-370 (1991)
	G105	
	C105	542-547 (1990)
	C106	
		Healthy Males", Lepr. Rev., Vol. 56, No. 1, pp. 35-39 (1985)
	C107	
	C108	Gehano et al., 1990, "Mouth and pharyngeal hyperalgesic syndromes in AIDS," Ann. Otolaryngol. Chir. Cervicofac 107(5):311-313
	C109	Genvo et al., 1984, "Treatment of aphthosis with thalidomide and with colchicine," Dermatologica 168(4):182-188
	C110	Geoghiou et al., 1990, "HIV-assoc oesophageal ulcers treated with thalidomide," Med. J. Australia 152:382-383
	CIII	Gershbein, 1967, "Effect of transplantedtumor and various agents on liver regeneration during pregnancy," P.S.E.B.M. 126:88-92
	C112	
	1 112	adenocarcinomas," Cancer Lett. 60:129-133
	C113	0 11 1 10 66 (770)
		hepactectomized rats," Cancer Res. 26(9):1905-1908
	C114	
	_	immunodeficiency virus," J. Am. Acad. Dermaol. 28(2 Part I):271-272
	C115	
	-	276 Gimbrone et al., 1974, "Tumor growth and neovascularization: An experimental model using the rabbit cornea,"
	C116	J. Nat. Cancer Institute 52(2):413-419
	C117	G '1 TT 1 1000 (G' 'C' C 11) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	(11/	thalidomide in vivo and in vitro. Activation in adjuvant disease," Int. Arch. Allergy Appl. Immun. 57:317-332
	C118	Goihman-Yahr et al., 1974, "Autoimmune diseases and thalidomide II: Adjuvant disease, experimental allergic
		encephalomyelitis and experimental allergic neuritis of the rat," Int. J. Leprosy 42(3):266-275
	C119	Gorin et al., 1990, "Thalidomide may cure AIDS ulcers," Nurs. Times 86(24):10
	C120	Gorin et al., 1990, "Thalidomide in hyperalgic pharyngeal ulceration of AIDS," Lancet 335:1343
		Goulden et al., 1993, "Linear prurigo simulating dermatitis artefacta in dominant dystrophicepidermolysis
	C121	bullosa," Br. J. Dermatol. 129(4):443-446
	C122	Grabstald et al., 1965, "Clinical experiences with thalidomide in patients with cancer," Clin. Pharmacol. and Ther. 6:298-302

	of Application No. 10/732,867
C123	Grant et al., 1993, "Scatter factor induces blood vessel formation in vivo," PNAS 90:1937-1941
C124	Grinspan et al., 1989, "Treatment of aphthae with thalidomide," J. Am. Acad. Dermatol. 20(6):1060-1063
C125	Grinspan, 1985, "Significant response of oral aphthosis to thalidomide treatment," Am. Acad. of Dermatol. 12(1, Part 1):85-90
C126	Grosshans et al., 1984, "Thalidomide therapy for inflammatory dermatoses," Int. J. Dermatol. 23(9):598-602
C127	Guidetti et al., 1969, "Ricerche Sull'azione immunodepressiva della talidomide e del prednisolone in ratti portatori di neoplasie sperimentalmente indotte," Cancro 22:503-512
C128	Gunzler, 1992, "Thalidomide in human immunodeficiency virus (HIV) patients. A review of safety considerations," Drug Saf. 7(2):116-134
C129	Gunzler, 1989, "Thalidomide - A therapy for the immunological consequences of HIV infection?" Medical Hypothesis 30(2):105-109
C130	Gutierrez-Rodriguez et al., 1989, "Treatment of refractory rheumatoid arthritis - The thalidomide experience," J. Rheumatol. 16(2):158-163
C131	Gutierrez-Rodriguez et al., 1984, "Thalidomide: A promising new treatment for rheumatoid arthritis," Arthritis and Rheumatism 27(10):1118-1121
C132	Haffner, 1992, "Studies involving orphan products for treating/diagnosing women's diseases," Food and Drug Law J. 48:205-211
. C133	Exp. Rheumatol. 8(4):427
. C134	Hamza, 1986, "Treatment of Behcet's disease with thalidomide," Clin. Rheumatol. 5(3):365-371
C135	Handley et al., 1993, "Chronic bullous disease of childhood and ulcerative colitis," Pediatric Dermatol. 10(3):256-258
C136	40):67-68
. C137	Harindra et al., 1992, "Papulo-pruritic eruption and giant ulceration of the mouth: A difficult clinical feature to treat in the patient infected with human immunodeficiency virus(1)," Arch. Intern. Med. 152(9):1924
C138	Harris, 1997, "Antiangiogenesis for cancer therapy," Lancet 349(Supp. II):13-15
C139	Hasper, 1983, "Chronic cutaneous lupus erythematosus. Thalidomide treatment of 11 patients," Arch. Dermatol. 19(10):812-815
C140	Hasper et al., 1982, "Thalidomide in the treatment of chronic discoid lupus," Acta. Derm. Venereol. 62(4):321-324
C141	Hastings et al., 1970, "Thalidomide in the treatment of erythema nodosum leprosum. With a note on selected laboratory abnormalities nodosum leprosum," Clin. Pharmacol. Ther. 11(4):481-487
C142	Hatfill et al., 1991, "Induction of morphological differentiation in the human leukemic cell line K562 by exposure to thalidomide metabolites," Leuk. Res. 15(2/3):129-136
C143	Hayashi et al., 1997, "A synthetic peptide for a chemokines inhibits the growth of melanoma cell lines," J. Clin. Invest. 99(11):2581-2587
C144	Heaton et al., 1992, "Graft-versus-host disease following liver transplantation," J.R. Soc. Med. 85(6):313-314
C145	
C146	Helm et al., 1981, "Comparative teratological investigation of compounds structurally and pharmacologically related to thalidomide," Arzneim. Forsch./Drug Res. 31(I, No. 6):941-949
C147	Hendler et al., 1983, "Thalidomide for autoimmune disease," Medical Hypotheses 10:437-443
C148	Hendler, "Immune modulators thalidomide," The Oxygen Breakthrough, pp. 217-219
C149	Heney et al., 1991, "Thalidomide treatment for chronic graft-versus-host disease," Brit. J. Haematol. 78:23-27
C150	Heney et al., 1990, "Thalidomide in the treatment of graft-versus-host disease," Biomed. Pharmacother. 44(4):199-204
C151	Heney et al., 1988, "Thalidomide for chronic graft-versus-host disease in children," Lancet 2(8623):1317
C152	Hojyo et al., 1992, "Actinic prurigo (9)," Int. J. Dermatol. 31(5):372-373
C153	Holm et al., 1993, "Chronic cutaneous lupus erythematosus treated with thalidomide," Arch. Dermatol. 129(12):1548-1550
C154	Hori et al., 1991, "Suppression of solid tumor growth by immunoneutralizing monoclonal antibody against human basic fibroblast growth factor," Cancer Res. 51:6180-6184
C155	Hu, 1994, "Inhibition of angiogenesis in rats by IL-1 receptor antagonist and selected cytokine antibodies," Inflammation 18:45-58
C156	smooth muscle cells," FASEB J. 11:498-504
C157	Ingber et al., 1990, "Synthetic analogues of fumagillin that inhibit angiogenesis and suppress tumor growth," Lett. to Nature 348:555-557

		of Application No. 10/732,867
	C158	Ingber, 1990, "Drug news and trial developments," AIDS Patient Care 6(6):288
	C159	Jacobson et al., 1997, "Thalidomide for the treatment of oral aphthous ulcers in patients with human immunodeficiency virus infection," New Engl. J. Med. 336(21):1487-1493
	C160	Jacobson et al., 1976, "The Diagnosis and treatment of leprosy," South Med. J. 69(8):979-985
	C161	Jager et al., 1971, "Clinical observations in the treatment of leprosy reaction with cyclic imides," Int. J. Lepr. Other Mycobact. Dis. 39(2):589
,	C162	Jeltsch et al., 1997, "Hypeplasia of lymphatic vessels in VEGF-C transgeneic mice," Science 276:1423-1426
	C163	Jenkins et al., 1985, "Thalidomide, orogenital ulcers, and risk of teratogenicity," Lancet 1(8417-8418):511
	C164	Jenkins et al., 1984, "Thalidomide in severe orogenital ulceration," Lancet 2(8417-8418):1424-1426
	C165	Jennings et al., 1969, "Effect of actinomycin D on the production of acute phase protein in the rabbit," Experienta 25:305-306
	C166	Jew et al., 1990, "Thalidomide in erythema nodosum leprosum, DICP 24(5):482-483
	C167	Johnke et al., 1993, "Thalidomide treatment of prurigo nodularis," Ugeskr Laeger 155(38):3028-3030, Abstract
	C168	Jonsson, 1972, "Chemical structure and teratogenic properties IV. An outline of a chemical hypothesis for the teratogenic action of thalidomide," Acia Pharm. Succica 9:543-562
•	C169	Jonsson, 1972, "Chemical structure and teratogenic properties I. Synthesis and teratogenic activity in rabbits of some derivatives of phthalimide, isoindoine-1-one, 1.2-benzisothiazoline-3-one-1, 1-dioxide and 4(3II)-quinazoline," Acia Pharm. Succica, 9:431-436
•	C170	Jonsson, 1972, "Chemical structure and teratogenic properties III. A review of available data on structure-activity relationships and mechanism of action of thalidomide analogues," Acia Pharm. Succia 9:521-542
•	C171	Jorizzo et al., 1986, "Thalidomide effects of behcet's syndrome and pustular vasculitis," Arch. Intern. Med. 146(5):878-881
•	C172	Juret et al., 1963, "Absebce d'effet carcino-frenateur du talidomide vis-à-vis de deux tumerus greffees," Societe de Biologie 23:246-249
•	C173	Kaitin, 1991, "Graft-versus-host disease," N. Engl. J. Med. 325(5):357-358
	C174	Kaplan et al., 1994, "TNFα regulation of HIV1:Biology and therapy," Res. In Immunol. 145(8-9):685-690
	C175	Katsuta et al., 1965, "Carcinogenesis in tissue culture. 3. Effects of the second treatments on DAB-Induced proliferating liver cells of normal rats in culture." Jpn. J. Exp. Med. 35(4):231-248
	C176	
	C177	Kenyon et al., "The discovery of new inhibitors of angiogenesis using an improved mouse corneal neovascularization model," No. 459-367, pp. S94 (Abstract only)
	C178	growth in vivo," Lett. to Nature 362:841-844
	C179	Kitamoto et al., 1997, "Vascular endothelial growth factor is an essential molecule for mouse kidney development: Glomerulogenesis and nephrogenesis," J. Clin. Invest. 99(10):2351-2357
	C180	Klug et al., 1994, "Embryotoxic effects of thalidomide derivatives in the non-human primate Callithrix jacchus," Arch. Toxicol. 68:203-205
	C181	Knighton et al., 1977, "Avascular and vascular phases of tumor growth in the chick embryo," Br. J. Cancer 35:347-356
	C182	Knop et al., 1983, "Thalidomide in the treatment of sixty cases of chronic discoid lupus erythematosus," Br. J. Dermatol. 108(4):461-466
	C183	Koch et al., 1985, "4 thalidomide and congeners as anti-inflammatory agents," Progress in Medicinal Chem. 22:166-242
	C184	Korn et al., 1993, "The second international workshop on scleroderma research," Matrix 13(5):427-429
	C185	Kroger et al., 1996, "Synergistic effects of thalidomide and poly (ADP-ribose) polymerase inhibition on type II collagen-induced arthritis in mice," Inflammation 20(2):203-215
	C186	
	C187	Kurkcuoglu et al., 1985, "Thalidomide in the treatment of recurrent necrotic mucocutaneous aphthae," Br. J. Dermatol. 112(5):632
	C188	1 1000 400
	C189	
	C190	1000 (7)
	C191	T 1 1000 (FD) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	C192	T 1 1005 WT 11 11 11 11 11 11 11 11 11 11 11 11 11
<u> </u>		I

		of Application No. 10/732,807
	C193	Lenicque, 1967, "Action of thalidomide on the induction of tentacles in regenerating hydra littoralis," Acta. Zool. 127-139
	C194	Levy et al., 1973, "Treatment of erythema nodosum leprosum with thalidomide," Lancet 2(824):324-325
	C195	Lien et al., 1970, "The blood supply of experimental liver metastases. II. A microcurculatory study of the normal and tumor vessels of the liver with the use of perfused silicone rubber," Surgery 68(2):334-340
	C196	Lo et al., 1989, "Treatment of discoid lupus erythematosus," Int. J. Dermatol. 28(8):497-507
	C197	Londono, 1973, "Thalidomide in the treatment of actinic prurigo," Int. J. Dermaol. 12(5):326-328
	C198	Lovell et al., 1983, "Thalidomide in actinic prurigo," Br. J. Dermatol. 108(4):467-471
	C199	Lopez et al., 1993, "Thalidomide as therapy for intestinal chronic GVHD," Bone Marrow Transplant. 11(3):251-252
	C200	Louzir et al., 1992, "Erythroleucemie chez un patient ayant une maladie de behcet et traite au long cours par thalidomide," Ann. de Med. Interne 143:479-480
	C201	Lueprasitsakul et al., 1990, "Effect of thalidomide on the incidence of iodine-induced and spontaneous lymphocytic thyroiditis and spontaneous diabetes mellitus in the BB/Wor rat," Acta Endocrino Logica 123:79-83
	C202	Luers, 1962, "Failure of mutagenic action of thalidomide in Drosophila," Lancet II(7258):1332
-	C203	Magana-Garcia, 1994, "Antimalarials for children," J. Am. Acad. Dermatol. 30(3):510
	C204	Maione et al., 1990, "Inhibition of angiogenesis by recombinant human platelet factor-4 and related peptides," Science 2:77-78
	C205	Makonkawkeyoon et al., 1993, "Thalidomide inhibits the replication of human immunodeficiency virus type 1," PNAS 90:5974-5978
:	C206	dasypus novemcinctus Mexicanus, including a choriocarcinoma," Am. J. Pathol. 43(6):999-1016
·	C207	Mascaro et al., 1979, "Thalidomide in the tratment of recurrent, necrotic, and giant mucocutaneous aphthae and aphthosis," Arch. Dermt. 115:636-637
	C208	Matsubara et al., 1987, "Inhibition of human endothelial cell proliferation by gold compounds," J. Clin. Invest. 79:1440-1446
	C209	5(12):1405-1417
	C210	Mauad, 1963, "Melhoras clinicas obtidas em doentes cancerosos avancados com tratamento pela talidomida associada a hormonios," Anais Paulistas Medicina e Cirurgia pp. 15-39
	C211	Maurice et al., 1986, "The effect of thalidomide on arachidonic acid metabolism in human polymorphonuclear leukocytes and platelets," Br. J. Dermatol. 115(6):677-680
	C212	McCarthy et al., 1989, "Thalidomide for the therapy of graft-versus-host disease following allogenic bone marrow transplantation," Biomed. Pharmacother. 43(9):693-697
	C213	McKenna et al., 1992, "Linear IgA disease, oral ulceration and Crohn's disease," Br. J. Dermatol. 127:67-68
	C214	Meza et al., 1993, "Managing the gastrointestinal complications of AIDS," Drug Therapy 23(11):74-83
	C215	hohen malignitatsgrades," Monatsschr. Kinderheilkd. 128:27-29
	C216	and immunohistologic remission," Int. J. Lepr. Other Mycobact. Dis. 55(3):441-449
	C217	Dermatol. 18(5):487
	C218	26(Fasc. 3):305-306
	C219	Miyachi, 1985, "A possible mechanism of actions of thalidomide on rheumatoid arthritis," Arthritis Rheumatol. 28(7):836
	C220	Miyachi et al., 1982, "Effects of thalidomide on the generation of oxygen intermediates by Zymosan-stimulated normal polymorphonuclear leukocytes," Arch. Dermatol. Res. 274(3-4):363-367
-	C221	Mohri et al., 1968, "Negative effect of thalidomide and relative substances on the growth of HeLa cells," Chem. Pharm. Bull. 16:2289-2292
	C222	Moncada et al., 1985, "Thalidomide - effect on T Cell subsets as a possible mechanism of action," Int. J. Lepr. Other Mycobact. Dis. 53(2):201-205
	C223	Montrucchio et al., 1994, "Tumor necrosis factor a-induced angiogenesis depends on in situ platelet-acting factor biosynthesis," J. Exp. Med. 180:377-382
1		
	C224	Moulin et al., 1983, "Treatment of Jessnet-Kanof disease with thalidomide," Ann. Dermatol. Venereol. 10(8):611-614

		of Application No. 10//32,86/
	C226	Muckter et al., 1965, "Thalidomide and tumor," Antimicrobial Agents and Chemother. pp. 531-538
	C227	the presence of serum," Toxicity Lett. 18:201-209
	C228	Munro et al., 1988, "Pyoderma gangrenosum associated with Behcet's syndrome-response to thalidomide," Clin. Exp. Dermatol. 13(6):408-410
	C229	Muthukkaruppan et al., 1979, "Angiogenesis in the mouse cornea," Science 205(28):1416-1418
	C230	Naafs et al., 1985, "Thalidomide therapy an open trial," Intl. J. Dermatol. 24(2):131-134
	C231	Naafs, 1996, "Bangkok workshop on leprosy research. Treatment of reactions and nerve damage." Int. J. Lepr. Other Mycobact. Dis. 64(4, Supp.):S21-28
	C232	Berlin, Berlin, Federal Rep. of Germany, pp. 169-178
	C233	cancer patients," J. Natl. Cancer Inst. 85(3):241-242
	C234	patients with a wide spectrum of cancers," J. Natl. Cancer Inst. 86(5):356-361
	C235	New Engl. J. Med. 321(22):1550-1551
•	C236	DICP 24(11):1054-1056
•	C237	Nielsen et al., 1986, "Thalidomide nehances superoxide anion release from human polymorphonuclear and leukocytes," Acta. Pathol. Microbiol. Immunol. Scand. [C], 94(6):233-237
•	C238	Obeso et al., 1990, "Methods in laboratory investigation: A hemangioendothelioma-derived cell line: Its use as a model for the study of endothelial cell biology," Lab. Invest. 63(2):259-269
	C239	Oikawa et al., 1991, "Eponemycin, a novel antiobiotic is a highly powerful angiogenesis inhibitor," Biochem. Biophys. Res. Comm. 181(3):1070-1077
·.	C240	Pharmacol. Ther. 6(3):292-297
	C241	Orzalesi, 1992, "Il Danno iatrogeno in neonatologica," Ped. Med. Chir. 14:105-112
	C242	Ostraat et al., 1992, "Thalidomdie prolongs graft survival in rat cardiac transplants," Transplant. Proc. 24(6):2624-2625
	C243	Otsuka et al., 1991, "A new potent angiogenesis inhibitor, FR-118487," J. Microbiol. Biotechnol. 1(3):163-168
	C244	Paller et al., 1992, "Proceedings of the concurrent sessions," Pediatr. Dermatol. 9(4):397-406
	C245	Passaniti et al., 1992, "Methods in laboratory investigation: A simple, quantitative method for assessing angiogenesis and antiangiogenic agents using reconstituted basement membrane, heparin, and fibroblast growth factor," Lab. Invest. 67(4):519-528
	C246	13:104-110
	C247	Pearson et al., 1969, "Treatment of moderately severe erythema nodosum leprosum with thalidomide - A double-blind controlled trial," Lepr. Rev. 40(2):111-116
	C248	
	C249	Pfordte, 1971, "Uber die beeinflussung des serumproperdinsystems durch verschiedene arzneimittel," Pharmazie 26:301-302
	C250	Phillips et al., 1996, "Tumor necrosis factor alpha (rhTNF) fails to stimulate angiogenesis in the rabbit cornea," Anatomical Rec. 245:53-56
	C251	Powell et al., 1985, "Investigation and treatment of orogenital ulceration; studies on a possible mode of action of thalidomide," Brit. J. Dermatol. 113(Supp. 28):141-144
	C252	Prignet et al., 1983, "Sarcoidose cutanee traitement par la thalidomide," La Presse Medicale 12(47):3007
	C253	Proenca, "Thalidomide: An eclectic medication in dermatology," Rev. Paul. Med. 107(1):41-46 (Abstract)
	C254	Radeff et al., 1990, "Recurrent aphthous ulcer in patient infected with human immunodeficiency virus: Successful treatment with thalidomdie," J. Am. Acad. Dermatol. 23(3, pt. 1):523-525
	C255	Rainsford, 1990, "Disease-modifying antirheumatic and immunoregulatory agents," Bailliere's Clin. Rheumatol. 4(3):405-432
	C256	episodes and corticosteroid requirements," Lepr. India 55(1):111-116
	C257	263(11):1474
	C258	Randall, 1990, "Thalidomide's back in the news, but in more favorable circumstances," JAMA 263(11):1467-1468
I	C259	Revuz, 1990, "Actualite du thalidomide," Ann. Dermatol. Venereol. 117:313-321

γ-		or Application No. 107/32,807
C		Revuz et al., 1990, "Crossover study of thalidomide vs. placebo in severe recurrent aphthous stomatitis," Arch. Dermatol. 126:923-927
C		Rhoton, 1993, "Role for thalidomide in primary biliary cirrhosis treatment?" Gastroenterol. 105(3):956
С	262	Robbins, "The plasminogen-plasmin enzyme system," Fibrinolysis pp. 340-357
С	263	Roe, 1963, "Pathology thalidomide and neoplasia," Nature 200:1016-1017
С	264	Roe et al., 1965, "Tumour-incidence in progeny of thalidomide-treated mice," Brit. J. Cancer pp. 331-333
С	265	Ruggenini et al., 1967, "Talidomide e tumori sperimentali," Cancro 20:39-55
С	266	Rustin et al., 1990, "Pyoderma gangrenosum associated with Behcet's disease: Treatment with thalidomide," J. Am. Acad. Dermatol. 23(5, pt. 1):941-944
С	267	Ryan et al., 1992, "Thalidomide to treat esophageal ulcer in AIDS (6)," New Engl. J. Med. 327(3):208-209
C	268	Salven et al., 1997, "Serum vascular endothelial growth factor is often elevated in disseminated cancer," Clin. Cancer Res. 3:647-651
C	269	Sampaio et al., 1992, "Prolonged treatment with recombinant interferon gamma induces erythema nodosum lepromatous leprosy patients," J. Exp. Med. 175(6):1729-1737
C	270	Sampaio et al., 1991, "Thalidomide selectively inhibits tumor necrosis factor alpha production by stimulated human monocytes," J. Exp. Med. 173(3):699-703
C	271	Santis, 1991, "Aphthous stomatitis and its management," Curr. Opin. Dent.1(6):763-768 (Abstract)
C	272	Santos et al., 1993, "In vitro tumor necrosis factor production by mononuclear cells from lepromatous leprosy
C	273	patients and from patients with erythema nodosumleprosum," Clin. Immunol. Immunopathol. 67(3):199-203 Sato et al., 1997, "Increased concentration of vascular endothelial growth factor/vascular permeability factor in cyst fluid of enlarging and recurrent thyroid nodules," J. Clin. Endocrinol. Metabol. 82(6):1968-1972
· C	274	Schweigerer et al., 1992, "Angiogenesis and andiogenesis inhibitors in paediatric diseases," European J. Peddiatr. 151:472-476
· C	275	Shannon et al., 1981, "Inhibition of de novo IgM antibody synthesis by thalidomide as a relevant mechanism of action in leprosy," Scand. J. Immunol. 13(6):553-562
C	276	Shannon et al., 1992, "Thalidomide's effectiveness in erythema nodosum leprosum is associated with a decrease in CD4+ cells in the peripheral blood," Lepr. Rev. 63(1):5-11
C	277	Shealy et al., 1965, "D- and L-Thalidomide," Chem. and Indust. pp. 1030-1031
C	278	Sheehan, 1986, "Thalidomide neurotoxicity and rheumatoid arthritis," Arthritis and Rheum. 29(10):1296
C	279	Sherman et al., 1986, "Thalidomide: A twenty-five year perspective," Food Drug Cosmetic Law J. 41:458-466
C	280	Sheskin, 1980, "The treatment of lepra reaction in lepromatous leprosy. Fifteen years' experience with thalidomide," Int. J. Dermatol. 19(6):318-322
C	2281	Sheskin et al., 1981, "In vivo measurements of iron, copper, and zinc in the skin of prurigo nodularis patients treated with thalidomide," Dermatologica 162(2):86-90
	2282	Shi et al., 1991, "Kringle domains and plasmin denaturation," Biochem. Biophys. Res. Comm. 178(1):360-368
	C283	responses," Cancer Res. 47:5155-5161
C	2284	Sliverman, 1980, "Medical inflation," Persp. Biol. Med. pp. 617-637
C	2285	Smith et al., "Studies on the relationship between the chemical structure and embryotoxic activity of thalidomide and related compounds," Chem. Struct. and Embryopathy pp. 194-209
C	286	Srivastava et al., 1988, "The prognostic significance of tumor vascularity in intermediate-thickness skin melanoma," Am. J. Pathol. 133:419-423 (Abstract from Medline Accession No.: 06745734)
-	2287	Style, 1995, "Early diagnosis and treatment of leprosy in the United States," Am. Family Phys. 52(1):172-178
	2288	Sugiura et al., 1964, "Effect of thalidomide on transplantable mouse, rat, and hamster tumors," GANN 55:57-60
	C289	Suzuki, "The history of iatrogenic diseases in Japan," First Dept. Internal Med., Univ. Environ. Occup. Health, Kitakyushu, Japan pp. 35-40
	C290	Swift, 1973, "Thalidomide in erythema nodosum leprosum," Lancet 2(835):966
	C291	Szydlowska et al., 1978, "On the application of thalidomide as a block of functional groups of proteins in histochemical investigations," Folia Histo. Cytochem. 16(3):233-240
	C292	Tamura et al., 1990, "Combination thalidomide and cyclosporine for cardiac allograft rejection. Comparison with combination methylprodnisolone and cyclosporine," Transplantation 49(1):20-25
	C293	Tanaka et al., 1997, "Vascular endothelial growth factor in diabetic retinopathy," Lancet 349:1520
	C294	Taylor et al., 1982, "Protamine is an inhibitor of angiogenesis," Nature 297:307-312
 	C295	Teppo et al., 1977, "Thalidomide-type malformations and subsequent osteosarcoma," Lancet II(8034):405
	C296	"Thalidomide 20 years on," Lancet II(8245):510-511 (1981)

		of Application No. 10/752,807
	C297	"Thalidomide," Merch Index, 11 th ed., pp. 1458 (1989)
	C298	Theophilus, 1980, "Treatment with thalidomide in steroid dependency and neuritis," Lepr. India 52(3):423-428
	C299	Thomas et al., 1972, "Effect of thalidomide on liver regeneration in rat," Indian J. Exp. Biol. 10:314-315
	C300	Thomas et al., 1972, "Lack of thalidomide induced aplasia in regenerating tail of lizard, hemidactylus
	C301	flavivirdis," Indian J. Exp. Biol. 10:316-317 Thomas et al., 1993, "Successful treatment of adult's langerhans cell histiocytosis with thalidomide," Arch.
	C301	Dermatol. 129:1261-1264
	C302	Reproductive Immunol. 27:171-179
	C303	Traldi et al., 1965, "L'impiego dell'imide dell'acido n'ftalilglutammico (Talidomide) nella terapia sintomatica del vomito di molti pazienti affeti da neoplasie naligne o causato dalla somministrazione di cloridato di mecloretamina," Cancro 18:336-341
	C304	Trautman, 1976, "Treatment of Hansen's Disease," Cutis 18(1):62-65
	C305	Van den Broek, 1980, "Treatment of prurigo nodularis with thalidomide," Arch. Dermatol. 116(5):571-572
	C306	13(4):293-300
•	C307	growth in rabbits," Brit. J. Cancer 79(1):114-118
	C308	Med. 153:334
•	C309	Haematol. Latina 6:217-221
•	C310	
•	C311	
	C312	326:1055-1059
	C313	
	C314	19(1, Pt. 3):2658-2661
	C315	model," Transplantation 41(5):644-647
	C316	
	C317	
	C318	
	C319	Waters, 1971, "An internally-controlled double-blind trial of thalidomide in severe erythema nodosum leprosum," Lepro. Rev. 42(1):26-42
		Weidner et al., 1991, "Tumor angiogenesis and metastasis-correlation in invasive breast carcinoma," The New Engl. J. Med. 324(1):1-8
	C321	143(2):401-409
	C322	Weidner et al., 1992, "Tumor angiogenesis: A new significant and independent prognostic indicator in early-stage breast carcinoma," J. Nat. Cancer Inst. 84(24):1875-1887
	C323	Science 33(4):1281 (Abstract)
	C324	White et al., 1989, "Treatment of pulmonary hemangiomatosis with recombinant interferon alpha-2a," New Engl. J. Med. 32(18):1197-1200
	C325	Williams, 1990, "Enantiomers in arthritic disorders," Pharmacol. & Therapeutics 46(2):273-295
	C326	Williams et al., 1991, "Thalidomide hypersensitivity in AIDS," Lancet 337:436-437
	C327	Winkelmann et al., 1984, "Thalidomide treatment of prurigo nodularis," Acta. Derm. Venereol. 64(5):412-417
	C328	Wood et al., 1990, "The potential use of thalidomide in the therapy of graft-versus-host disease - A review of clinical and laboratory information," Leuk. Res. 14(5):395-399
	C329	Woodyatt, 1962, "Thalidomide," Lancet pp. 750
	C330	480
	C331	Yazici et al., 1991, "Practical treatment recommendations for pharmacotherapy of Behcet's syndrome," Drugs 42(5):796-804
	C332	Yoshimura et al., 1993, "Cloning, sequencing, and expression of human macrophage stimulating protein (MSP,
		NVID-1592122.1

Sheet 12 of 12 of List of References of Application No. 10/732,867

	MSTI) confirms MSP as a member of the family of Kringle proteins and locates the MSP gene on chromosome 3," J. Biol. Chem. 268(21):15461-15468
C333	Youle et al., 1989, "Treatment of resistant aphthous ulceration with thalidomide in patients positive for HIV antibody," BMJ 298(6671):432
C334	Youle et al., 1990, "Thalidomide in hyperalgic pharyngeal ulceration of AIDS," Lancet 335(8705):1591
 C335	Yue et al., 1997, "2-Methoxyestradiol, an endogenous estrogen metabolite, induces apoptosis in endothelial cells and inhibits angiogenesis: Possible role for stress-activated protein kinase signaling pathway and Fas expression," Molecular Pharmacol. 51:951-962
C336	Ziche et al., 1997, "Nitric oxide synthase lies downstream from vascular endothelial growth factor-induced but not basic fibroblast growth factor-induced angiogenesis," J. Clin. Invest. 99(11):2625-2634
C337	Zwart, 1966, "Treatment of grade II astrocytoma with thalidomide," Arzneim. Forsch. 16(12):1688-1689

|--|

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.